INDEX

ACCESSORIES
WHEELSET
BIKES

2020

COMPLETE BIKE

1-4 ROAD BIKE
5-7 CYCLOCROSS
5-11 MOUNTAIN XC
MOUNTAIN
12-14 TRACK BIKE

WHEELSET

15 ROAD CARBON (SLR 50)
16 MTB CARBON(XCD280)
17 ROAD ALLOY (RRA)
18 ROAD ALLOY (RRA DISC)
19 MTB ALLOY (RACE27.5)

ACCESSORIES

20~21 PULLEY /PULLEY CAGE
23~24 BOTTLE CAGE
25 B.B.PARTS
26 BIKE PARTS
27~28 BRAKE SERIES

REPAIR

29 TIRE SEALANT
30~31 TOOL KIT

PRO DISC

24" Shimano Clars 16Speed

> Frame: Material 24" 6061 Alloy / Post Mount
> Frame: Size: 380mm (C-T)
> Fork: Material 24" Alloy / Post Mount
> Handlebar: 6061al,Width 360mm,Drop:100 mm,Reach:65mm
> Stem: 6061al, Ext: 60 Mm
> Shift: Shimano Clars 2x8sp
> F/Derailleur:Shimano Fd-Clars
> R/Derailleur:Shimano Fd-Clars
F/R Brake: Tektro Trp-C605c F/R rotor 160mm or F/R rotor 160mm
> Chainwheel: Paco 44/34T/155L
> Freewheel: Shimano 12/25t 8sp (Option: Uci U9 Spec 15-25t)
> Wheel Set: 20 " Paco OE 28h/28h (Etrto:451mm)
> Road Tire: Kenda K-191 24x1" (25-520)

650C Shimano Clars 16Speed

> Frame: Material 650C 6061 Alloy
> Frame: Size: 440mm (C-T)
> Fork: Material 650C Alloy
> Handlebar: 6061al,Width 380mm,Drop:100 mm,Reach:65mm
> Stem: 6061al, Ext: 80 Mm
> Shift: Microshift Sb-R482(S) 2x8sp
> F/Derailleur: Shimano Fd-R525-B
> R/Derailleur: Shimano Rd-32s
> F/R Brake: Tektro Trp-C605c F/160mm/ R160mm
> Chainwheel: Paco 44/34T /165L
> Freewheel: 12/25t 8sp
> Wheel Set: 650C Paco OE 28h/28h (Etrto:571mm)
> Road Tire: Kenda K-191 650Cx23C

OPTIONS : /20"/650C

PRO

24" Microshift RD32S 16 speed

> Frame: Material 24" 6061 Alloy
> Frame: Size: 380mm (C-T)
> Fork: Material 24" Alloy
> Handlebar: 6061al,Width 360mm,Drop:100 mm,Reach:65mm
> Stem: 6061al, Ext: 60 Mm
> Shift: Microshift Sb-R482(S) 2x8sp
> F/Derailleur: Shimano Fd-R525-B
> R/Derailleur: Shimano Rd-32s
> F/R Brake: Promax Rc462 F/R
> Chainwheel: Paco 42/34t 155L
> Freewheel: 12/25t 8sp(Option: Uci U9 Spec 15-25t)
> Wheel Set: 24 "Paco OE 28h/28h (Etrto:451mm)
> Road Tire: Kenda K-191 24x1" (25-520)

650C Microshift RD32S 16 speed

> Frame: Material 650C 6061 Alloy
> Frame: Size: 440mm (C-T)
> Fork: Material 650C Alloy
> Handlebar: 6061al,Width 380mm,Drop:100 mm,Reach:65mm
> Stem: 6061al, Ext: 80 Mm
> Shift: Microshift Sb-R482(S) 2x8sp
> F/Derailleur: Shimano Fd-R525-B
> R/Derailleur: Shimano Rd-32s
> F/R Brake: Promax Rc462 F/R
> Chainwheel: Paco 42/34T 165mm
> Freewheel: 12/25t 8sp
> Wheel Set: 650C Paco OE 28h/28h (Etrto:571mm)
> Road Tire: Kenda K-191 650Cx23C

RACING

20" Racing Road Bike / Shimnao A070 14S

>FRAME 20" MATERIAL 6061 P.G. ALUMINUM, SIZE 300 mm (C-T), FORK 20" MATERIAL STEEL,

>HANDLEBAR MATERIAL 6061 ALUMINUM, Width 340mm, Reach: 65mm , Drop :100mm

>STEM MATERIAL :6061 ALUMINUM, EXT: 60 mm, SHIFT MICROSHIFT (STI),

>F/R DERAILLEUR SHIMANO A070,

>CHAINWHEEL PACO 42/34T 140L,

>FREEWHEEL SUNRACE 13-25T 7SP,

>WHEEL SET 20 " PACO OE 28H/28H,

>WEIGHT 7.7 KG

RACING SF

20" Racing Road Singl e Freewheel

>FRAME 20"MATERIAL 6061AL P.G. ALUMINUM SIZE 300mm (C-T)

>FORK 20"MATERIAL STEEL

>HANDLEBAR MATERIAL: 6061 ALUMINUM-Width 340mm, Reach: 65mm , Drop :100mm

>STEM MATERIAL 6061 ALUMINUM,EXT: 60 mm

>CHAINWHEEL PACO 36T 140L

>FREEWHEEL 16T Freewheel

>WHEEL SET 20 " PACO OE 24H/24H

BIKE

4 ROAD BIKE ALLOY

OPTIONS : /24"/650C

PRORACE DISC

26" Shimano Clars 16Speed

> FRAME:MATERIAL: 650C 6061AL P.G. ALLOY SIZE:440 MM (C-T)

> FORK:MATERIAL: 650C Alloy

> HANDLEBAR:MATERIAL: 6061AL,Width 380mm,,Drop:100mm,Reach:65mm

> STEM:MATERIAL: 6061AL, EXT: 80 mm

> SHIFT:MICROSHIFT SB-R482S 2x8sp (short reach brake lever for small hand)

> F/DERAILLEUR:SHIMANO Claris

> R/DERAILLEUR:SHIMANO Claris

> F/R Disc Brake:TEKTRO MD-400 ,F/160mm Rotor ;R/140mm Rotor

> CHAINWHEEL:PACO 46/34Tor (44/36T) 165L

> FREEWHEEL:MICROSHIFT CS-H081 12/25T 8SP

> WHEEL SET:26" PACO F/R 28H/28H (ETR-TO:559mm)

> CX TIRE:Kenda K-1118A 26x1.5 (32-559)

> ROAD TIRE:Kenda K-193 26x1.25 (32-559)

BIKE

5 CYCLOCROSS ALLOY

OPTIONS : /20"/24"

PRORACE DISC

BIKE

6 CYCLOCROSS ALLOY

OPTIONS : /24"/26"

20" CX Shimano Clars 8 speed

- FRAME:MATERIAL: 20" 6061AL P.G. ALLOY
- FRAME SIZE:320MM (C-T)
- FORK:MATERIAL: 20" Alloy
- HANDLEBAR:MATERIAL: 6061AL,Width 360mm(340mm),, Drop:100mm,Reach:65mm
- STEM:MATERIAL: 6061AL, EXT: 60 mm
- SHIFT:SHIMANO Claris 2x8sp
- F/DERAILLEUR:SHIMANO Claris
- R/DERAILLEUR:SHIMANO Claris
- F/R Disc Brake:TEKTRO MD-400 ,F/140mm Rotor ;R/140mm Rotor (24"/26" F/R ROTOR 160mm)
- CHAINWHEEL:PACO 44/36T 140L
- FREEWHEEL:SHIMANO CS-HG50 13-26T
- WHEEL SET:20 " PACO OE 28H/28H (ETRTO:451mm)
- CX TIRE:Kenda K-1047 20x1-1/8 (28-451)
- ROAD TIRE:Kenda K-196 20x1 (23-451)

PRORACE

BIKE

7 CYCLOCROSS ALLOY

OPTIONS : /20"/26"

24" CX Shimano A070 14 speed

- FRAME:MATERIAL: 20" 6061AL P.G. ALLOY
- FRAME SIZE:380MM (C-T)
- FORK:MATERIAL: 20" STEEL (change to Alloy material add 8USD)
- HANDLEBAR:MATERIAL: 6061AL,Width 360mm ,Drop:100mm,Reach:65mm
- STEM:MATERIAL: 6061AL, EXT: 60 mm
- SHIFT:MICROSHIFT SB-R472 2x7sp (short reach brake lever for small hand)
- F/DERAILLEUR:SHIMANO FD-A070-A
- R/DERAILLEUR:SHIMANO FD-A070
- F/R BRAKE:TETKRO Canti 992AG
- CHAINWHEEL:PACO 44/36T /155L
- FREEWHEEL:SUNRACE 13/25T 7SP
- WHEEL SET:24 " PACO OE 28H/28H (ETRTO:451mm)
- CX TIRE:Kenda K-1083A 24x1.125 (32-507)
- ROAD TIRE:Kenda K-193/ 24x1.50 (40-507)

KUZONE XC

24" Shimano Tourney 7 Speed

> Frame: 24"Material 6061AL P.G. Aluminum.Post Mount

> Headtube: 1/1/8-1/1/2
> Seatpost : 27.2mm
> Size: 320mm（C-T)
> Fork : 24"Spinner Cargo DJ24 Post Mount
> Handlebar : Material:6061AL, Width 520mm
> Stem: Material:6061AL, EXT:60mm
> Shift: Shimano Deore
> Brake System: Shimano Deore Hydraulic Disc
> F/R Derailleur : Shimano Deore/XT
> Chainwheel : Paco 38/24T 152L or 155L
> Freewheel : Shimano HGSO 11-36T 10SP
> Wheel Set : 24"Paco OE F/R 28H
> Weight: 12kg

WUTA 1 SPEED

BIKE

9 MOUNTAIN ALLOY

OPTIONS : /20"/24"

16"

- FRAME METRIAL: ALLOY 6061
- FRAME SIZE:183mm
- FORK:ALLOY 6061
- HANDLEBAR: ALLOY, L: 540mm
- STEM: ALLOY,EXT:60mm
- SEAT POST: ALLOY, 30.9x300mm
- CHAINWHEEL: STEEL 25Tx114mm,W/cover.
- FREEWHEEL: 1/2x1/8 20T
- WHEELSET: F/R 32H ALLOY HUB AND RIM
- TIRE:16X2.0

WUTA 7 SPEED

BIKE

10 MOUNTAIN ALLOY

OPTIONS : /12"/24"

20" MTB W/ SHIMANO ALTUS

> FRAME METRIAL: ALLOY 6061
>FRAME SIZE:250mm
>FORK:ALLOY 6061 W/ IS DISC MOUNT
>HANDLEBAR: ALLOY, L: 540mm
>STEM: ALLOY,EXT:60mm
>SEAT POST: ALLOY, 30.9x300mm

> R/DERAILLEUR: SHIMANO RD-M310-L
>CHAINWHEEL: STEEL 28Tx140mm,W/cover.
>FREEWHEEL: 14-28T 7SPEED
>F/BRAKE: STARRY RDM2.0 160mm ROTOR
>R/BRAKE: STARRY RDM2.0 140mm ROTOR
>WHEELSET: F/R 32H ALLOY HUB AND RIM
>TIRE: 20X2.0

WUTA 9 SPEED

BIKE

11 MOUNTAIN ALLOY

OPTIONS : /16"/20"

24" MTB W/ SHIMANO ACERA

> FRAME METRIAL: ALLOY 6061
> FRAME SIZE:250mm
> FORK: SPINNER GRIND 24"AIR W/ IS DISC MOUNT
> HANDLEBAR: ALLOY, L: 560mm
> STEM: ALLOY,EXT:75mm
> SEAT POST: ALLOY, 30.9x300mm

> R/DERAILLEUR: SHIMANO RD-M3000 SGS
> CHAINWHEEL: STEEL 36Tx152mm,W/cover.
> FREEWHEEL: CS-952 11-32T 9SPEED
> F/BRAKE: TEKTRO HDM 275 HYDRAULIC
> DISC BRAKE 160mm ROTOR
> R/BRAKE:TEKTRO HDM 275 HYDRAULIC
> DISC BRAKE 140mm ROTOR
> WHEELSET: F/R 32H ALLOY HUB AND RIM
TIRE: 24X2.0

TRIJET 20

BIKE

1 2 TRACK BIKE ALLOY

OPTIONS : /24"/650c

20" TRACK BIKE

>FRAME 20" MATERIAL 6061 P.G. ALUMINUM,
>FRAME SIZE 360mm (C-T),
>FORK 20" MATERIAL ALLOY
>HANDLEBAR MATERIAL: 6061 ALUMINUM
Width :340 mmDROP:100mm REACH:65mm
>STEM MATERIAL: 6061 ALUMINUM ,EXT: 60 mm
>SEATPOST: 6061 ALUMINUM

>CHAINWHEEL PACO 40T 130L,
>FREEWHEEL / CASSETTE :R/16Fixed Cog L/15T Fixed Cog
>WHEEL SET 20 " PACO OE 32H/32H

TRIJET 24

BIKE

13 TRACK BIKE ALLOY

OPTIONS : /20"/650c

24" TRACK BIKE

>FRAME 20" MATERIAL 6061 P.G. ALUMINUM,
>FRAME SIZE 400mm (C-T),
>FORK 24" MATERIAL ALLOY
>HANDLEBAR MATERIAL: 6061 ALUMINUM
Width :360 mmDROP:100mm REACH:65mm
>STEM MATERIAL: 6061 ALUMINUM ,EXT: 60 mm
>STEATPOST: 6061 ALUMINUM

>CHAINWHEEL PACO 44T 155L,
>FREEWHEEL / CASSETTE :R/16Fixed Cog L/15T Fixed Cog
>WHEEL SET 24 " PACO OE 32H/32H

TRIJET 650

BIKE

14 TRACK BIKE ALLOY

OPTIONS : /20"/24"

650C TRACK BIKE

>FRAME 650C MATERIAL 6061 P.G. ALUMINUM,
>FRAME SIZE 440mm (C-T),
>FORK 650C MATERIAL ALLOY
>HANDLEBAR MATERIAL: 6061 ALUMINUM
Width :360 mmDROP:100mm REACH:65mm
>STEM MATERIAL: 6061 ALUMINUM ,EXT: 60 mm
>STEATPOST: 6061 ALUMINUM

>CHAINWHEEL PACO 44T 155L,
>FREEWHEEL / CASSETTE :R/16Fixed Cog L/15T Fixed Cog
>WHEEL SET 650C PACO OE 32H/32H

WWW.PACO-BIKE.COM

PACO BIKE CO., LTD.
sales@paco-bike.com

No.80, Yuanlu Rd., Yuanlin Township,
Changhua County 510, Taiwan (R.O.C.)
(T)+886-4-8384342 (F)+886-4-8380736