About Paco Bike

Hello, every bike hobbyist. We would like to introduce ourselves to you. This is Paco Bike. We focus on highquality product. Our product line includes MTB, DH, ROAD Bike, and Track series. We have road bikes, 20", 24", 650C, and 700C, in full range, Especial in 20" and 24", the frames' geometry are designed for children's body. We've also considered that the muscular endurance of children are not as strong as adult, thus we designed our own ratio of chainwheel and freewheel, which are able to adjust to suit children. I probably won't say we are the only one who can supply the full range Road bikes in the world, but we are absolutely the first one.

I would like to mention especially about our wheel sets. We have the full-equipped for quality inspection. Unlike most wheel designs, Paco Bike truly innovates. The balance of aerodynamics, lightweight and rigidity, plus Paco Bike's peerless manufacturing standards, has created faster wheels for all styles of riding, on more types of road. This is the value of Paco Bike's wheel sets.

Besides our wonderful wheel sets, kid bike is another perfect product of Paco Bike. Our kid bike, PR-20 & PR-24 let you share a world of fitness and fun with your young road racer. These 20 & 24-inch-wheel bikes look and go just like your favorite pro steed. They boast a triple-butted 6061 T6 aluminum frame for that race- ready feel and vreight and fine designed aluminum fork for outstanding cornering precision. Plus, the Shimano components place shifting and braking control at your youngster's fingertips, so smooth pedaling and control become second nature. Thus, PR-20 and PR-24 models both feature geometry and components specially adapted to young riders. They would be a fantastic choice for kids.

Our track series are also excellent desi keeps our principle- quality and custome eps a slack hand on severe quality trol. The Track Frame manufactured by Paco Bike stands for the top quality and safety all the time. Paco Bike also has it own business model to make Crmo & Steel Lug Frame, and always insists on importing the highest standard cr-moly to construct the main structure of our Track Frame. We always tries to make our users eye- popped in this competitive market. By using Cr-mo steel for making Cr-mo Frame, Paco bike has the confidence with our material- procurement policy, ambitiously to achieve our buyers' satisfaction with the best-quality materials in higher density, durability and strength than other frame materials. That's the way that Paco Bike can offer users more lively choices with our multi-functional Track Frame.

With corporate philosophy of service, quality, innovation, and constantly improved service system, Paco Bike aims to develop products with the best ergonomic and highest quality. We have full confidence that we will meet all your requests. Thus, In case of any sample request, always contact us when you need.



♦ Index



6~8

9~11

Paco Bike Products Catalog 2016-2017

 $+_{04}$

PR24 (24" ROAD STI 9 Speed)





Road Bike

PR20 (20" ROAD STI 14 Speed)



PR20 (20" ROAD STI 9 Speed)

*	PR20 (20" ROAD STI 9 Speed)
Frame Size Fork	20" Material 6061 P.G. Aluminum 300mm (C-T) 20" Material Steel
Handlebar	Material 6061 Aluminum ,Width 360mm , Drop:120mm (Option:Width 340mm,Drop 1
Stem Shift	Material 6061 Aluminum, EXT: 60mm Microshift (STI)
Rear Derailleur Chainwheel Freewheel	Shimano Sora Paco 36T 140L Sram 11/26T or Paco 12-23T 9SP
Wheel Set Weight	20" Paco OE 28H/28H 7kg
-	-

PR24 (24" ROAD STI 9 Speed)

24" Material 6061 P.G. Aluminum 380mm (C-T) 24" Material Steel Material 6061 Aluminum ,Width 360mm , 120mm) Drop:120mm Material 6061 Aluminum, EXT: 60mm Microshift (STI) Shimano Sora Paco 36T 155L Sram 11/26T or Paco 12-23T 9SP 24" Paco OE 28H/28H 7.5kg

PR65 (650C ROAD STI 9 Speed)

650C Material 6061 P.G. Aluminum 440mm (C-T) 650C Material Steel Material 6061 Aluminum ,Width 380mm , Drop:120mm Material 6061 Aluminum, EXT: 80mm Microshift (STI) Shimano Sora Paco 36T 165L/42T 165L/46T 165L Sram 11/26T or Paco 14-23T 9SP 650C Paco OE 28H/28H 8kq

X	PR20 (20" ROAD STI 14 Speed)
Frame	20" Material 6061 P.G. Aluminum
Size	300mm (C-T)
Fork	20" Material Steel
Handlebar	Material 6061 Aluminum ,Width 360mm , Drop:120mm (Option:Width 340mm,Drop
Stem	Material 6061 Aluminum, EXT: 60mm
Shift	Microshift (STI)

Weight

F/R Derailleur Shimano Sora Paco 42/34T 140L Chainwheel Freewheel Sunrace 13-25T 7SP Wheel Set 20" Paco OE 28H/28H 8.0kg

PR24 (24" ROAD STI 14 Speed)

24" Material 6061 P.G. Aluminum 380mm (C-T) 24" Material Steel Material 6061 Aluminum , Width 360mm , m,Drop 120mm) Drop:120mm Material 6061 Aluminum, EXT: 60mm Microshift (STI) Shimano A070 Paco 42/34T 155L Sunrace 13-25T 7SP 24" Paco OE 28H/28H 8.5kg

PR65 (650C ROAD STI 14 Speed)

650C Material 6061 P.G. Aluminum 440mm (C-T) 650C Material Steel Material 6061 Aluminum ,Width 380mm , Drop:120mm Material 6061 Aluminum, EXT: 80mm Microshift (STI) Shimano A070 Paco 46/34T 165L Sunrace 13-25T 7SP 650C Paco OE 28H/28H 9.1kg

Road Bike / Road Bike(Flat Bar) / Cyclocross / Road Bike(Single Freewheel) / Track Bike / Push Bike / MTB Bike / Wheel Set

Road Bike / Road Bike(Flat Bar) / Cyclocross / Road Bike(Single Freewheel) / Track Bike / Push Bike / MTB Bike / Wheel Set

PR20 (20" Road STI 18 Speed)



Road Bike

PR24 (24" Road STI 18 Speed)



PRICE



🔀 PR20 (20" Road STI 18 Speed)

Frame	20", Material 6061AL P.G. Alloy
Size	300mm(C-T)
Fork	20", Material Steel
Handlebar	Material:6061AL, Width 360(Option:Width 340mm)
	Drop:120mm(Option:340mm,Drop:120mm)
Stem	Material:6061AL, EXT:60mm
Shift	Microshift(STI)
F/R Derailleur	Shimano Sora
Chainwheel	Paco 42/34T 140L
Freewheel	Paco 16/25T or Sram 11/26T 9SP
Wheel Set	20" Paco OE 28H/28H
Weight	7.7kg

◆ Road Bike

 \neq_{08}

PR65 (650C Road STI 18 Speed)





Road Bike(Flat Bar)

PR20F (20" Flat Road 18 Speed)



💥 PR20F (20" Flat Road 18 Speed)

Frame
Size
Fork
Handlebar
Stem
Shift
F/R Derailleur
Chainwheel
Freewheel
Wheel Set
Weight

20", Material 6061AL P.G. Alloy 300mm(C-T) 20", Material Steel Material:6061AL, Width 520mm or 540mm Material:6061AL, EXT:60mm Microshift(STI) Shimano Sora Paco 42/34T 140L Paco 16/25T or Sram 11/26T 9SP 20" Paco OE 28H/28H 7.6kg

✤ PR65 (650C Road STI 18 Speed)

Frame Size Fork Handlebar	650C, Material 6061AL P.G. Alloy 440mm(C-T) 650C, Material Steel Material:6061AL, Width 380 Drop:120mm	
Stem Shift F/R Derailleur Chainwheel Freewheel Wheel Set Weight	Material:6061AL, EXT:80mm Microshift(STI) Shimano Sora Paco 46/34T 165L Paco 16/27T or Sram 11/26T 9SP 650C Paco OE 28H/28H	

Road Bike(Flat Bar)

PR24F (24" Flat Road 18 Speed)



Road Bike(Flat Bar)

PRED

PR65F (650C Flat Road 18 Speed)



★ PR65F (650C Flat Road 18 Speed)

Frame Size Fork Handlebar Stem Shift F/R Derailleur Chainwheel Freewheel Wheel Set Weight 8.7kg

650C, Material 6061AL P.G. Alloy 440mm(C-T) 650C, Material Steel Material:6061AL, Width 540mm or 560mm Material:6061AL, EXT:80mm Microshift(STI) Shimano Sora Paco 46/34T 165L Paco 16/27T or Sram 11/26T 9SP 650C Paco OE 28H/28H

✗ PR24F (24" Flat Road 18 Speed)

Frame	24", Material 6061AL P.G. Alloy
Size	380mm(C-T)
Fork	24", Material Steel
Handlebar	Material:6061AL, Width 540mm
Stem	Material:6061AL, EXT:60mm
Shift	Microshift(STI)
F/R Derailleur	Shimano Sora
Chainwheel	Paco 46/34T 155L
Freewheel	Paco 16/25T or Sram 11/26T 9SP







★ PCX20 (20" Cyclocross STI 18 Speed)

Frame Size Fork Handlebar Stem Shift F/R Derailleur Chainwheel Freewheel Wheel Set Weight

♦ CYCLOCROSS

20", Material 6061AL P.G. Alloy 300mm(C-T) 20", Material Steel Material:6061AL, Width 360mm, Drop:120mm(Option:340mm,Drop:120mm) Material:6061AL, EXT:60mm Microshift(STI) Shimano Sora Paco 44/36T 140L Paco 11/26T or Paco 11/28T 9SP 20" Paco OE 28H/28H 8.4kg

🗙 PCX24 (24" Cyclocross STI 18 Speed)

Frame24", MaSize380mmFork24", MaHandlebarMaterialDrop:12StemMaterialShiftMicroshF/R DerailleurShimanoChainwheelPaco 44FreewheelPaco 11Wheel Set24" PacoWeight8.9kg

24", Material 6061AL P.G. Alloy 380mm(C-T) 24", Material Steel Material:6061AL, Width 360mm, Drop:120mm Material:6061AL, EXT:60mm Microshift(STI) Shimano Sora Paco 44/36T 155L Paco 11/26T or Paco 11/28T 9SP 24" Paco OE 28H/28H 8.9kg

≁ 13

X PCX65 (650C(26") Cyclocross STI 18 Speed)

Frame Size Fork Handlebar Stem Shift F/R Derailleur Chainwheel Freewheel Wheel Set Weight

650C Material 6061AL P.G. Alloy 440mm(C-T) 650C Material Steel Material:6061AL, Width 380mm, Drop:120mm Material:6061AL, EXT:80mm Microshift(STI) Shimano Sora Paco 44/36T 165L Paco 11/26T or Paco 11/28T 9SP 650C Paco OE 28H/28H 9.4kq

PRS20 (20" Single Freewheel)



◆ Track Bike

ORCO

PT20 (20 " Track)



🗙 PT20 (20" Track)

Frame
Size
Fork
Handlebar
Stem
Chainwheel
Freewheel/Cassette
Wheel Set
Weight

20", Material 6061AL P.G. Aluminum 300mm(C-T) 20", Material Steel Material:6061AL, Width 360mm(Option:width 340mm) Material:6061AL, EXT:60mm Paco 46T 140L 16T Fixed Cog W/lock ring & 16T Freewheel 20" Paco OE 24H/24H 6.1kg

℅

Frame 20" Material 6061 P.G. Aluminum Size 300mm (C-T) Fork 20" Material Steel Handlebar Material:6061 Aluminum ,Width 360mm , (Option:Width 340mm) Stem Material:6061 Aluminum, EXT: 60mm Chainwheel Paco 36T 140L Freewheel 16T Freewheel Wheel Set 20" Paco OE 24H/24H Weight 7Kg

PRS20 (20" Single Freewheel)

PRS24 (24" Single Freewheel)

24" Material 6061 P.G. Aluminum 380mm (C-T) 24" Material Steel Material:6061 Aluminum ,Width 360mm

Material:6061 Aluminum, EXT: 60mm Paco 36T 155L 16T Freewheel 20" Paco OE 24H/24H 7.5kg

PRS65 (650C Single Freewheel)

650C Material 6061 P.G. Aluminum 440mm (C-T) 650C Material Steel Material:6061 Aluminum ,Width 380mm

Material:6061 Aluminum, EXT: 80mm Paco 46T/165L or 42T/165L 16T Freewheel 650C Paco OE 28H/28H 8kg ◆ Track Bike

PT24 (24" Track)



:0

Track Bike
PT65
(650C Track)





🔀 PT65 (650C Track)

Frame Size Fork Handlebar Stem Chainwheel Freewheel/Cassette Wheel Set Weight 650C, Material 6061AL P.G. Aluminum 440mm(C-T) 650C, Material Steel Material:6061AL, Width 380 Material:6061AL, EXT:80mm Paco 46T 165L 16T Fixed Cog W/lock ring & 16T Freewheel 650C Paco OE 28H/28H 7.4kg

🔆 PT24 (24" Track)

≁ 16

Frame
Size
Fork
Handlebar
Stem
Chainwheel
Freewheel
Wheel Set
Weight

24", Material 6061AL P.G. Aluminum 380mm(C-T) 24", Material Steel Material:6061AL, Width 360 Material:6061AL, EXT:60mm Paco 46T 155L 16T Fixed Cog W/lock ring & 16T Freewheel 24" Paco OE 24H/24H 6.5kg

Road Bike / Road Bike(Flat Bar) / Cyclocross / Road Bike(Single Freewheel) / Track Bike / Push Bike / MTB Bike / Wheel Set

◆ Push Bike

Push 12" Blue



🗙 Specification

Frame Fork Wheel Color Weight 12" Material 6061 P.G. Aluminum 12" Material Steel 1-1/8 F/R 16H, Aluminum Hub and Aluminum Rim Blue/Yellow/White 3kg



Push Bike

Push 12" Yellow



🗙 Specification

Frame Fork Wheel Color Weight 12" Material 6061 P.G. Aluminum 12" Material Steel 1-1/8 F/R 16H, Aluminum Hub and Aluminum Rim Blue/Yellow/White 3kg Push Bike

Push 12" White



🗙 Specification

⊦rame
Fork
Wheel
Color
Weight

≁₂₀

12" Material 6061 P.G. Aluminum 12" Material Steel 1-1/8 F/R 16H, Aluminum Hub and Aluminum Rim Blue/Yellow/White 3kg



ORCO

20 Speed 24"



🗙 Specification

Frame Headtube Seatpost Size Fork Handlebar Stem Shift Brake System F/R Derailleur Chainwheel Freewheel Wheel Set Weight

24", Material 6061AL P.G. Aluminum, Post Mount 1/1/8-1/1/2 27.2mm 320mm(C-T) 24", Spinner Cargo DJ 24 Post Mount Material:6061AL, Width 520mm Material:6061AL, EXT:60mm Shimano Deore Shimano Deore Hydraulic Disc Shimano Deore Hydraulic Disc Shimano Deore/XT Paco 38/24T 152L or 155L Shimano HG50 11-36T 10SP 24" Paco OE F/R 28H 12kg

Road Bike / Road Bike(Flat Bar) / Cyclocross / Road Bike(Single Freewheel) / Track Bike / Push Bike / MTB Bike / Wheel Set

PRED

Road Carbon WH-R55 TU/CL



🗙 Specification

Intend Use Available Rim Material Hub Sheel Material Spoke Count

Rim Depth Compatibility Weight Option Road riding/Road Racing 700C(Etrto:622mm) Clincher Carbon Fiber #6061 Aluminum F/20H/R24H F/Aero spokes(Radial) R/Aero spokes(2X Drive/Radial) 55mm Shimano/Sram/Campagnolo Tubular:1402g/Clincher:1592g Use Sapim CX-Ray spokes Wheel Set

Road Carbon WH-R50 TU/CL



≁ ₂₃

🗙 Specification

Intend Use Available Rim Material Hub Sheel Material Spoke Count

Rim Depth Compatibility Weight Option Road riding/Road Racing 700C(Etrto:622mm) Tubular Carbon Fiber #6061 Aluminum F/20H/R24H F/Aero spokes(Radial) R/Aero spokes(2X Drive/Radial) 50mm Shimano/Sram/Campagnolo Tubular:1292g/Clincher:1590g Use Sapim CX-Ray spokes

PRED

Road Carbon WH-R38 TU/CL



🗙 Specification

≁₂₄

Intend Use Available Rim Material Hub Sheel Material Spoke Count

Rim Depth Compatibility Weight Option Road riding/Road Racing 700C(Etrto:622mm) Clincher Carbon Fiber #6061 Aluminum F/20H/R24H F/Aero spokes(Radial) R/Aero spokes(2X Drive/Radial) 38mm Shimano/Sram/Campagnolo Tubular:1295g/Clincher:1490g Use Sapim CX-Ray spokes

Wheel Set

Road Aluminum WR-SLR A200



 $+_{25}$

🗙 Specification

Intend Use Available Rim Material Hub Sheel Material Spoke Count

Compatibility Rim Depth Weight Road riding / Road Racing 700C (Etrto : 622mm) Clincher Aluminum # 6061 Aluminum F/20H / R24H F/Aero spokes (Radial) R/Aero spokes (2X Drive / Radial) Shimano / Sram / Campagnolo 22 mm 1373g ♦ Wheel Set



Road Aluminum WR-SLR A300



🗙 Specification

+ 26

> Intend Use Available Rim Material Hub Sheel Material Spoke Count

Compatibility Rim Depth Weight Road riding / Road Racing 700C (Etrto : 622mm) Clincher Aluminum # 6061 Aluminum F/18H / R24H F/Aero spokes (Radial) R/Aero spokes (2X Drive / Radial) Shimano / Sram / Campagnolo 30 mm 1507g Wheel Set

Road Aluminum WR-SLR A380



+27

🗙 Specification

Intend Use Available Rim Material Hub Sheel Material Spoke Count

Compatibility Rim Depth Weight Road riding / Road Racing 700C (Etrto : 622mm) Clincher Aluminum # 6061 Aluminum F/16H / R20H F/Aero spokes (Radial) R/Aero spokes (2X Drive / Radial) Shimano / SRAM / Campagnolo 38 mm 1621 g , F/ 728g R/893g

Wheel Set Road Carbon / Road Aluminum / MTB Carbon / MTB Aluminum



Road Aluminum WR-700 RACE



🗙 Specification

 $+_{28}$

Intend Use Available Rim Material Hub Sheel Material Spoke Count

Rim Depth Compatibility Weight Road riding/Road Racing 700C(Etrto:622mm) Clincher Carbon Fiber #6061 Aluminum F/20H/R24H F/Aero spokes(Radial) R/Aero spokes(2X Drive/Radial) 30mm Shimano/Sram/Campagnolo 1492q

◆ Wheel Set

Road Aluminum WR-700 PRO



≁₂₉

🗙 Specification

Intend Use Available Rim Material Hub Sheel Material Spoke Count

Rim Depth Compatibility Weight Road riding/Road Racing 700C(Etrto:622mm) Clincher Carbon Fiber #6061 Aluminum F/20H/R24H F/Aero spokes(Radial) R/Aero spokes(2X Drive/Radial) 30mm Shimano/Sram/Campagnolo 1549g



Road Aluminum WR-700 COMP



🗙 Specification

∕₃₀

Intend Use Available Rim Material Hub Sheel Material Spoke Count

Rim Depth Compatibility Weight Road riding/Road Racing 700C(Etrto:622mm) Clincher Carbon Fiber #6061 Aluminum F/24H/R28H F/D.B. spokes(Radial) R/D.B. spokes(3X Drive/Radial) 24mm Shimano/Sram/Campagnolo 1719g ♦ Wheel Set

Road Aluminum WR-700 XCR A250



≁ 31

🗙 Specification

Intend Use Available Rim Material Hub Sheel Material Spoke Count

Compatibility Rim Depth Weight Road riding / Road Racing 700C (Etrto : 622mm) Clincher Aluminum # 6061 Aluminum F/20H / R24H F/Aero spokes (Radial) R/Aero spokes (2X Drive / Radial) Shimano / SRAM / Campagnolo 25 mm 1917q



Road Aluminum WR-700 XCR A300



🗙 Specification

Intend Use Available Rim Material Hub Sheel Material Spoke Count

Compatibility Rim Depth Weight Road riding / Road Racing 700C (Etrto : 622mm) Clincher Aluminum # 6061 Aluminum F/20H / R24H F/Aero spokes (Radial) R/Aero spokes (2X Drive / Radial) Shimano / SRAM / Campagnolo 30 mm 1777g , (Color :white), 1740g (Color : Black)



Wheel Set

MTB Carbon WH-M28SL



 $+_{33}$

🗙 Specification

Intend Use Available Rim Material Hub Sheel Material Spoke Count

Rim Depth Compatibility Weight XC / All Mountain 27.5 inch(Etrto:584mm) Clincher Carbon Fiber #6061 Aluminum F/28H/R28H F/D.B. spokes(2X) R/D.B. spokes(2X) 28mm Shimano/Sram 1538q



MTB Aluminum WH-29 PRO



🗙 Specification

≁ 34

> Intend Use Available Rim Material Hub Sheel Material Spoke Count

Rim Depth Compatibility Weight XC 29 inch(Etrto:622mm) Clincher Carbon Fiber #6061 Aluminum F/32H/R32H F/Aero spokes(3X) R/Aero spokes(3X Drive/3X) 20mm Shimano/Sram 1867g

2

♦ Wheel Set

Rim Depth

Weight

Compatibility

MTB Aluminum WH-27.5 RACE





18mm

1552q

F/Aero spokes(2X)

Shimano/Sram

R/Aero spokes(2X Drive/2X)



MTB Aluminum WH-27.5 PRO



X Specification

+ 36

Intend Use Available Rim Material Hub Sheel Material Spoke Count

Rim Depth Compatibility Weight Option

XC / All Mountain 27.5 inch(Etrto:584mm) Clincher Carbon Fiber #6061 Aluminum F/28H/R28H F/Aero spokes(2X) R/Aero spokes(2X Drive/2X) 20mm Shimano/Sram 1849

Front/9mm QR axle and 9mm / 15mm / 20mm thru axle Rear / 10mm QR axle and 10mm *135 / 12mm*142 thru axle. Wheel Set

MTB Aluminum WH-27.5 Comp



X Specification

Intend Use Available Rim Material Hub Sheel Material Spoke Count

Rim Depth Compatibility Weight

XC / All Mountain 27.5 inch(Etrto:584mm) Clincher Carbon Fiber #6061 Aluminum F/24H/R24H F/Aero spokes(2X) R/Aero spokes(2X Drive/2X) 18mm Shimano/Sram 1859q



MTB Aluminum WH-26 RACE



🗙 Specification

 $+_{_{38}}$

Intend Use Available Rim Material Hub Sheel Material Spoke Count

Rim Depth Compatibility Weight XC 26 inch(Etrto:559mm) Clincher Carbon Fiber #6061 Aluminum F/28H/R28H F/Aero spokes(2X) R/Aero spokes(2X Drive/2X) 18mm Shimano/Sram 1453g Wheel Set

MTB Aluminum WH-26 PRO



 $+_{39}$

🗙 Specification

Intend Use Available Rim Material Hub Sheel Material Spoke Count

Rim Depth Compatibility Weight XC / All Mountain 26 inch(Etrto:559mm) Clincher Carbon Fiber #6061 Aluminum F/28H/R28H F/Aero spokes(2X) R/Aero spokes(2X Drive/2X) 20mm Shimano/Sram 1749





MTB Aluminum WH-26 COMP



X Specification

 $+_{40}$

Intend Use Available Rim Material Hub Sheel Material Spoke Count

Rim Depth Compatibility Weight XC 27.5 inch (ETRTO : 584mm) Clincher Aluminum # 6061 Aluminum F/24H / R24H F/Aero spokes (2X) R/Aero spokes (2X Drive / 2X) 18mm Shimano / SRAM 1759 g

